

 ATTY'S DOCKET NO.	CLASS-SUBCLASS	BATCH NO.	APPLN. TYPE	SMALL ENTITY	FEE DUE	DATE DUE
			· · · · · · · · · · · · · · · · · · ·			

THE APPLICATION IDENTIFIES ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

HOW TO RESPOND TO THIS NOTICE:

- Review the SMALL ENTITY Status shown above.
 If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:
 - A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the patent and Trademark Office of the change in status, or
 - B. If the Status is the same, pay the FEE DUE shown above.
- If the SMALL ENTITY is shown as NO:
- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, pay of 1/2 the FEE DUE shown above.
- II. Part B of this notice should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B should be completed and returned. If you are charging the ISSUE FEE to your deposit account, Part C of this notice should also be completed and returned.
- III. All communications regarding this application must give series code (or filing date), serial number and batch number. Please direct all communication prior to issuance to Box ISSUE FEE unless advised to contrary.

IMPORTANT REMINDER: Patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

PASTRICK 04/21/95 08/426,591

DON01-P-577

34M1/0919

PRICE HENEVELD COOPER DEWITT AND LITTON PO BOX 2567 695 KENMOOR DRIVE SE GRAND RAPIDS MI 49501

ART L'UM FAVER NUMBER

3406

LATE MAILED:

NOTICE OF	ALLOWABILITY					
PART I. 1. This communication is responsive to						
herewith (or previously mailed), a Notice Of Allowance And	ERITS IS (OR REMAINS) CLOSED in this application. If not included Issue Fee Due or other appropriate communication will be sent in due					
3. The allowed claims are						
4. The drawings filed on ar	e acceptable.					
received. [] been filed in parent application Serial No	5 U.S.C. 119. The certified copy has [_] been received. [_] not been filed on					
6. Note the attached Examiner's Amendment.						
7. Note the attached Examiner Interview Summary Record, PTO						
8. Note the attached Examiner's Statement of Reasons for Allow						
9. Note the attached NOTICE OF REFERENCES CITED, PTO-892.						
10. Note the attached INFORMATION DISCLOSURE CITATION, F	PTO-1449.					
PART II.						
A SHORTENED STATUTORY PERIOD FOR RESPONSE to comply FROM THE "DATE MAILED" indicated on this form. Failure to Extensions of time may be obtained under the provisions of 37 CFR 1	with the requirements noted below is set to EXPIRE THREE MONTHS timely comply will result in the ABANDONMENT of this application136(a).					
Note the attached EXAMINER'S AMENDMENT or NOTICE Conference of the conference o	OF INFORMAL APPLICATION, PTO-152, which discloses that the oath ATION IS REQUIRED.					
2. APPLICANT MUST MAKE THE DRAWING CHANGES INDICA OF THIS PAPER.	ATED BELOW IN THE MANNER SET FORTH ON THE REVERSE SIDE					
CORRECTION IS REQUIRED.	PATENT DRAWINGS, PTO-948, attached hereto or to Paper No.					
REQUIRED.	has been approved by the examiner. CORRECTION IS					
c. Approved drawing corrections are described by the examiner in the attached EXAMINER'S AMENDMENT. CORRECTION IS REQUIRED.						
 Formal drawings are now REQUIRED. 						
Any response to this letter should include in the upper right hand AND ISSUE FEE DUE: ISSUE BATCH NUMBER, DATE OF THE NOTIC	corner, the following information from the NOTICE OF ALLOWANCE CF OF ALLOWANCE, AND SERIAL NUMBER.					
Attachments:						
X Examiner's Amendment	Notice of Informal Application, PTO-152					
Examiner Interview Summary Record PTOL- 413	Notice of Middinar Application, P10-152 Notice re Patent Drawings, PTO-948					
Reasons for Allowance	_ Listing of Bonded Draftsmen					
Notice of References Cited PTO-892 Information Disclosure Citation, PTO-1449	_ Other					

-2-

Serial Number: 426,591

Art Unit: 3406

EXAMINER'S AMENDMENT

Reference numeral 122', page 23, line 4 must be illustrated.

Reference numeral 116', page 23, line 5 must be illustrated.

In claim 1: Line 4, "in" has been cancelled and -
substantially within -- substituted. Line 4, -- and wherein a

portion of said first light module is positioned behind said

first reflective elementi -- has been inserted after "housing" and

before the comma. Line 10, --: and wherein said first light

module is substantially moisture impervious for has been inserted

after "opening" and before the period.

In claim 2, line 2, "a" has been changed to -- sealing --.

In claim 4, lines 3-4, "; wherein a portion -- reflective element" has been cancelled.

In claim 9, lines 1-2, "is substantially moisture impervious" has been cancelled and -- comprises a unitary module -- substituted.

In claim 43: Line 5, "in" has been cancelled and -substantially within selective element -- has been inserted after "housing" and
before the comma.



Serial Number: 426,591 -3-

Art Unit: 3406

In claim 75: Line 2, -- reflective element, a -- has been inserted before "housing" and - for said reflective element -- has been inserted after "housing". Line 11, "in" has been cancelled and -- substantially within -- substituted. Line 11 -- ; wherein a portion of said enclosure is behind said reflective element -- has been inserted after "housing" and before the period.

In claim 76, line 1, "structure" has been made plural and "includes" has been changed to -- include --.

In claim 77, line 1, "includes" has been changed to -- include.

In claim 78, line 1, "structure has been made plural and "includes" has been changed to -- include --.

In claim 94: Line 2, the comma has been deleted and --

including -- substituted. Line 5, "in" has been cancelled and -substantially within -- substituted. Line 5, -- and wherein a

portion of said light module is positioned behind said reflective

element -- has been inserted after "housing" and before the

comma. Line 12, -- at least partially -- has been inserted after "for".

"housing" and before the period. In line 13, --, Said mating

retaining elements including mating surface configurations

on said enclosure and said housing -- has been

inserted after "housing" and before the period.

000

Art Unit: 3406

The above amendments have been made per telephone conversation of September 13, 1995 with applicant's attorney Mr. Burkhart.

PID

C. DORITY:1m SEPTEMBER 13, 1995 703-308-1437

CARROLL B. DORITY PRIMARY EXAMINER ART UNIT 346